

TABLE OF CONTENTS

S	ection Pag	ſ
1	INTRODUCTION	ן
2	SITE BACKGROUND	2
	2.1 Site Description	2
	2.2 Site History	3
3	FIELD INVESTIGATION ACTIVITIES	
	3.1 Field Inspection	5
	3.2 X-Ray Fluorescence Results	_
	3.3 Soil Sample Results	6
4	MIGRATION PATHWAYS	-
	4.1 Soil Exposure Pathway	7
	4.2 Groundwater Pathway	7
	4.3 Surface Water Pathway	8
	4.4 Air Route	9
5	REFERENCES	. (
6	PRE-CERCLIS SCREENING ASSESSMENT CHECKLIST	.]

APPENDICES

APPENDIX A SOIL BORING LOCATION MAP

APPENDIX B XRF, INORGANIC, & TCLP SAMPLE SUMMARIES

APPENDIX C LABORATORY RESULTS

APPENDIX D SITE PHOTOGRAPHS

SECTION 1 INTRODUCTION

On October 18, 2004, staff from the Illinois Environmental Protection Agency (IEPA) Office of Site Evaluation (OSE) received funding from the United States Environmental Protection Agency (U.S. EPA) Region V to conduct a Pre-CERCLIS (PCS) Screening Assessment of the Havana Right of Way located in Havana, Illinois. The PCS is performed under the authority of the Comprehensive Environmental Response, Compensation, & Liability Act (CERCLA) commonly known as Superfund.

The 2004 PCS investigation of the Havana Right of Way site was the result of a request for additional investigation by the IEPA State Sites Unit (SSU). Heavy metal contamination of soil outside the physical boundaries of the Prairieland Steel site was discovered during a 2003 IEPA SSU investigation. The Prairieland Steel property was integrated into the 2004 PCS investigation of a larger site referred to as the Havana Right of Way.

The PCS is a review of information on potential Superfund sites to determine whether the site should be entered into U.S. EPA Comprehensive Environmental Response, Compensation, & Liability Information System (CERCLIS). If there is sufficient information that suggests the site may be impacting human health and/or the environment, the site will be placed in CERCLIS and will progress through the Superfund process.

SECTION 2 SITE BACKGROUND

2.1 Site Description

The Havana Right of Way site is located southeast of the intersection of Illinois Route 97 and Illinois Route 78 in Havana, Illinois. The site is situated south of downtown Havana, adjacent to the business district. The plat description given for the site is the southwest ¼ of Section 1, Township 12N, Range 9W of Mason County. The area investigated during the 2004 Pre-CERCLIS Screening encompasses approximately three acres. The area around the site is a mixture of residential, commercial, and industrial properties. Densely populated residential areas are located south and east of the site. Located north of the site are various commercial and industrial properties. These properties include restaurants, gas stations, and some light industry. Some residential properties are located west of the site, but the terrain is primarily dominated by a levee that parallels the Illinois River.

Site topography is almost completely level with some slight undulation. The exception is the former rail beds/right of ways that form the perimeter of the site. They are elevated relative to the inner part of the site. There are no drainage pathways adjacent to or leading from the site. A maintained fence with locked gates restricts access to most areas of the site. To reach the site travel northwest on Route 97 to Havana, Illinois. Take a left on Route 78 traveling south approximately one mile after entering the City of Havana. The Havana Right of Way site is located east of Route 78 approximately 750 feet southeast of the intersection of Route 97 and Route 78.

2.2 Site History

The IEPA Bureau of Land file for Prairieland Steel contains a good deal of historical information regarding site activities for the entire Havana Right of Way site. The site is currently composed of at least five separate parcels. Four of the parcels are under private ownership. The former rail right of ways, which roughly form the border of the site, are owned by the City of Havana. A review of Sandborn maps revealed that industrial processes have taken place on at least one parcel of the site since approximately 1887. While operations at the former Prairieland Steel property were discontinued in 1996, there are still two active facilities within the Havana Right of Way site. The names of the two active facilities are Profile Screen, Incorporated and Crescent Forge. The site was initially brought to the attention of the IEPA by the City of Havana. File information indicates that in 2001 contractors for the IEPA SSU conducted a site investigation of Prairieland Steel. Findings from this investigation led to the excavation of two waste pits and the determination that shallow groundwater had been affected by site activities.

In 1996 the U.S. EPA conducted a Removal Action at the Prairieland Steel facility during which 7,000 gallons of waste corrosives, 45 drums of lead slag, 7 drums of waste solids, 18 drums of waste liquids, and a 25 cubic yards of non-hazardous debris were disposed. During the year of 2000, the bulk of the Prairieland Steel facility was demolished by the City of Havana using Brownfield Grant money. Groundwater and soil samples collected during the 2001 IEPA SSU investigation revealed on-site volatile organic (VOC) and heavy metal contamination. The results of the 2001 investigation also revealed heavy metal contamination of soil outside the Prairieland Steel property. A determination was made that a larger area around Prairieland Steel

needed to be screened to determine the extent of the contamination. The findings of the subsequent 2004 PCS investigation are discussed in Section 3 of this report.

SECTION 3 FIELD INVESTIGATION ACTIVITIES

3.1 Field Inspection

Prior to the June 2004 Pre-CERCLIS Screening Assessment, representatives from the IEPA OSE and SSU conducted a site reconnaissance of the Havana Right of Way. The site recon was conducted to determine the extent of the site and to identify potential sample locations. A survey of the surrounding area was conducted during the site recon as well. The survey of the surrounding area was done to determine land usage of the neighboring properties as well as any pathway or receptors that potentially may be affected by the site.

It was determined that an x-ray fluorescence (XRF) investigation of the property was needed in order to determine the extent of heavy metal contamination of on-site soil. It was also determined that confirmatory soil samples would be collected and sent to an IEPA laboratory for inorganic and toxicity characteristics leaching procedure (TCLP) analysis. Soil borings would be obtained with the Geoprobe® in order to determine the vertical extent of fill material and soil contamination. The soil borings would be screened with the XRF approximately every 6 to 12 inches. This information was necessary to determine if a more detailed investigation of the site was needed in areas other than the former Prairieland Steel property.

3.2 X-Ray Fluorescence (XRF) Results

Representatives of the IEPA OSE conducted the detailed x-ray fluorescence investigation at the Havana Right of Way site the week of June 7, 2004. As stated earlier, IEPA file information indicated that foundry operations at the site had likely resulted in heavy metal contamination of

on-site soil. The extent of the XRF survey area was determined using a combination of file and historical information gathered during the 2004 PCS investigation. The XRF survey revealed lead and arsenic contamination primarily in the upper two feet of site soil. Some soil boring locations revealed arsenic and/or lead contamination at depths greater than two. Laboratory analysis helped to confirm the XRF results.

3.3 Soil Sample Results

A map of all the soil boring locations can be found in Appendix A of this report. Results of the XRF and confirmatory soil samples can be found in Appendix B. Based upon this data it appears that most of the contamination occurs in the upper two feet of on-site soil. At nearly every soil boring location arsenic concentrations were above the IEPA Tiered Approach to Corrective Action Objective (TACO) Tier 1 evaluation numbers for industrial-commercial properties. Lead was also found above TACO Tier 1 evaluation numbers as well, but not at anywhere near the frequency of the arsenic contamination.

SECTION 4 MIGRATION PATHWAYS

4.1 Soil Exposure Pathway

The soil exposure pathway appears to be the primary pathway of concern associated with the Havana Right of Way site. This determination is based upon information gathered during the 2004 Pre-CERCLIS Screening Assessment and prior IEPA investigations at Prairieland Steel. X-ray fluorescence and IEPA laboratory results indicate that in some areas of the site there is heavy metal contamination that meets CERCLA criteria for an observed release.

There is no indication that the property is used for recreational purposes. A maintained fence with locked gates is in place to deter trespassing. There are a small number of employees within the Havana Right of Way. There approximately 10 employees on-site, all of which work at either Profile Screen or Crescent Forge. There is a densely populated residential area located immediately to the south and east of the site. The population within one mile of the site is approximately 3,000 individuals. It should be noted that the site does not have good vegetative cover in some areas. However, at least half of the site is either paved over or confined within buildings. A maintained fence with locked gates restricts access to the Prairieland Steel site, but access to the rest of the Havana Right of Way is unrestricted.

4.2 Groundwater Pathway

A determination was made during the 2001 IEPA SSU investigation of the Prairieland Steel site

that area shallow groundwater has been affected by past site operations. Foundry activities at the former Prairieland Steel resulted in volatile organic compound (VOC) and heavy metal contamination of area groundwater. Prairieland Steel was an active foundry located within the Havana Right of Way study area. Foundry activities at the Prairieland Steel property were known to have occurred almost continuously between 1887 and 1996.

All the residents of Havana obtain potable water from three public wells that are clustered approximately a ½ mile north of the site. According to Illinois State Geological Survey (ISGS) Circular 542 indicates that a shallow aquifer underlying areas of Mason County is an ideal source of potable water. Given the proximity of the Illinois River, groundwater is plentiful and the three public wells average only 85 feet in depth. There is no information in the IEPA Source Water Assessment Program Fact Sheet for the City of Havana that any of the public wells have been affected by on-site groundwater contamination. However, it was also reported in the Fact Sheet that only one of the public wells has been sampled for VOC contamination in the past 20 years. There is no available well sampling data prior to 1982.

4.3 Surface Water Pathway

According to a United States Geologic Survey (USGS) topographic map the Illinois River, a perennial waterway, is located approximately 1,500 feet west of the site. Based upon the same USGS map and visual observation there is no direct surface water route from the site to the Illinois River. Based upon this information it does not appear that a release to the surface water

pathway has occurred recently at the Havana Right of Way site. Given the lack of information regarding any historical discharges it is possible that a release to the Illinois River may have occurred in the past. The more detailed investigation of historical information is necessary to fully assess the surface water pathway. The Federal Emergency Management Agency map for Havana indicates that the site is located inside of a 100-year floodplain.

4.4 Air Route

Ambient air monitoring was not conducted during the 2004 PCS at the Havana Right of Way site. This was due to the fact that heavy metal contamination, which was the focus of the 2004 PCS, cannot be detected with a toxic vapor analyzer. Available file information gave no indication that open burning occurred on-site. Nor are there any available reports of odors emanating from the site. As indicated earlier the site does not have good vegetative cover in all areas that were not paved over. It is possible that airborne particulates have been transported off-site via the air pathway.

SECTION 5 REFERENCES

Berg, Richard C., and Kempton, John P., <u>Stack Unit Mapping of Geologic Materials in Illinois to a Depth of 15 Meters</u>, Illinois State Geological Survey, 1988.

Bureau of the Census, County and City Data Book, 1990 U.S. Census Data.

Illinois Environmental Protection Agency, Bureau of Land, file for Prairieland Steel, Mason County, Illinois, L0290000000.

Rockford Map Publishers, 1996, Land Atlas and Plat Book, Mason County, Illinois.

State of Illinois, United States Geologic Survey, 1984, Havana East, Illinois, 7.5 Minute Topographic Map.

SECTION 6 PRE-CERCLIS SCREENING ASSESSMENT CHECKLIST/DECISION FORM

PRE-CERCLIS SCREENING ASSESSMENT CHECKLIST/DECISION FORM

This checklist can assist the site investigator during the Pre-CERCLIS screening. It will be used to determine whether further steps in the site investigation process are required under CERCLA. Use additional sheets, if necessary.

Checklist Preparer:

Mark Weber/EPS III

September 15, 2004

Name/Title

Date

1021 North Grand Ave. East, Springfield, IL 62794

217/524-1656

Address

Phone

Address

epa4409@epa.state.il.us

E-mail Address

Site Name:

141

Havana Right of Way

Previous Names (if any):

Site Location:

East Water Street

Havana, IL 62644

Latitude: N 40°17.476'

Longitude: W 90°03.845'

Con	plete the following checklist. If yes is marked, please explain below.	YES	NO
1.	Does the site already appear in CERCLIS?	~	X
2.	Is the release from products that are part of the structure of, and result in exposure within, residential buildings or businesses or community structures?	~	Х
3.00	Does the site consist of a release of a naturally occurring substance in its unaltered form, or altered solely through naturally occurring processes or phenomena, from a location where it is naturally found?	~	Х
4.	ls the release into a public or private drinking water supply due to deterioration of the system through ordinary use?	~	X
5.	Is some other program actively involved with the site (Federal, VCP, State, or Tribal)?	X	~
6.	Are the hazardous substances potentially released at the site regulated under a statutory exclusion (i.e., petroleum, natural gas, natural gas liquids, synthetic gas usable for fuel, normal application of fertilizer, release located in a workplace, naturally occurring, or regulated by the NRC, UMTRCA, or OSHA)?	~	X
7.	Are the hazardous substances potentially released at the site excluded by policy considerations (i.e, deferred to RCRA Corrective Action, FIFRA, or Brownfields)?	~	X
8.	Is there insufficient data (provided by the State) to verify that a release has occurred or has the potential to occur (i.e., based on potentially unreliable sources or with no information to support the presence of hazardous substances or CERCLA eligible pollutants and contaminants)?	~	Х
9.	Is there sufficient documentation that clearly demonstrates that there is no potential for a release that could cause adverse er vironmental or human health impacts (i.e., comprehensive remedial investigation equivalent data showing no release above ARARs, completed removal action, previous HRS score determined, EPA approved risk assessment completed)?	~	Х


Please explain all yes answer(s), attach additional sheets if necessary: (5) One of the properties within the Havana Right of Way, the former Prairieland Steel facility, is the subject of an environmental investigation by the IEPA State Sites Unit to determine in may be eligible for remediation through that program.

	~ No	The site is not recommended for placement into CERCLIS (explain	below).
The control of the co	VD ATION AND		
DECISION/DISCUSSION			
Refer to	Site Summary &	& Recommendation which is attached in the Pre-Score section of th	is report.
1			
#			
ŀ			
ŀ			
Dogional EDA Davis			
Regional EPA Reviewer:			
	Print Name/Si	ignature Date	
State Agency/Tribe:			
	Print Name/Si	ignature Date	

~ Yes Enter the site into CERCLIS. Further assessment is recommended (explain below).

Site Determination:

APPENDIX A SOIL BORING LOCATION MAP



APPENDIX B XRF, INORGANIC, & TCLP SAMPLE SUMMARIES

HAVANA RIGHT OF WAY XRF DATA

LOCATION	DEPTH	Lead	Arsenic	Mercury	Zinc	Copper	Nickel	Cobalt	Chromium
GP #1									
3	Surface	48.74	38.01					200.06	
5	2' 3'	44.28 28.6	23.81					209.86	
6	4'	20.0	20.01						
7	4'	26.73							
8	5'		25.69						
9	6'	26.09							
GP #2							-		
10	2"	79.28	52.72	55.0	444.70	400.04		415.62	
11 12	10" 2'	281.93 192.75	1506.25 46.06	55.9	144.72	106.34 88.76		352.98	
16	3'	27.71	40.00	T. 1 1		00.70		332.90	
17	4'	39.39				L 13. 1		be to the si	
GP #3						THE REAL PROPERTY.			0.000
18	2"	223.16	797.9		141.5	112.77			
19	1'	186.34	403.82		111.73				
20	2'	30.83						272.42	
21 22	3' 4'								
24	9" Comp	106.43	346.46		44	57.8			
GP #4	3 Comp	100.40	010.10	3 4 3 1 1		07.0			
25	5"	240.45	983.18		183.41	129.59			
26	1'	79.11	152.63						
27	2'	141.55				y fragi			
28	3'	32.86	07.00						
29 30	3.5' 4'	20.05	27.98	13- Y					
31	5'	28.05			LLK A				
GP #5		NAME OF TAXABLE PARTY.			DESCRIPTION OF THE PERSON OF T	000000000	SUPERIOR OF	E3500.0004	00000000
32	4"	267.43	2554.16	81.76		138.43		558.84	
33	11"	515.31			147.49	177.73		873.76	
34	1.5'	24.17	21.13						304.79
35	2.5'	54.52							
36 37	3.5'	04.04	812.83		FF 04			400.0	
GP #6	4" - 7" Comp	91.61	012.03		55.91			423.8	
38	3"		45.12					312.03	
39	1'	383.57	915.16	44.19	114.32	166.99	1 1 1 1 1	0.2.00	144 31
40	1.5'	155.31	449		95.91		111		3
41	2'	35.29	169.33						
42 43	3' 4'	22.70	83.62 26.57		100				
GP #7	4	22.78	20.57	TO THE PERSON	Constitution of		ENERGY	THE REAL PROPERTY.	
44	6"	164.79	789.61		142.3			821.84	
45	1'	206.19	2129.64	67.76	130.7			873.7	TAXABLE !
46	2'	23.3	57.92						
47	3'	00	THE RES						
48 49	3.5' 4'	32.57	21.78						
50	5'	30.51	21.70						
GP #8		00.01	1 1 1 1 1 1 1 1						
51	6"	60.16	108.16			TIPLE!			
52	1'	40.72	84.65					1119.28	479.93
53	1.5'	216.79			95.37	87.27		227.56	5 30
54	2'	25.54							
55 56	3' 4'				All the same of				249.6
30	-			March March			C. Branch		248.6

LOCATION	DEPTH	Lead	Arsenic	Mercury	Zinc	Copper	Nickel	Cobalt	Chromium
GP #9									
57 58 59 60	2" 7" 1' 1.5'	114.68 59.79 38.84 220.3	74.95 1524.36 98.87			167.43		1202.91 1698.89 516.76	
61 62 63	2' 3' 3.5'	271.31	48.81		150.54	145.09		219.51	
GP #10	3.5	24.90						219.51	
64 65 66 67	6" 1' 1.5' 2.5'	88.41 53.69 62.77	626.72 52.85 34.5					800.96 1674.84 359.31 336.25	
68 69 70	3.5' 4.5' 6'	27.05 22.23 28.74						157.17	
GP #11 71 72 73 74	4" 9" 1.5' 2.5'	114.57 172.86 30.54	304.89 72.2		72.62 71.26	93.09		204.02	
GP #12	2.0	30.54		ASTRIBUTE.					0.701763
75 76 77 78	6" 1' 2" - 9" Comp 2'	121.26 21 100.66	481.14 74.43 283.62 63.91						
79 80 81	3' 4' 5'	29.96 27.4	29.19			97.06			
82 GP #13	6'								
83 84 85	4" 10" 1.5'	192.97 183.89 212.22	109.31		140.77	267.65 115.54		3013.24 3661.58	
86 87	2'	57.75 19.2	22.3		201.65	115.54		349.46 173.79	
GP #14 88 89 90 91 92	4" 1' 2' 3' 4'	64071.51 501.81 79.22 50.5 411.93	30.8 65.11	1289.43	966.22				1010.22
93 94	5' 4" Comp	27.2 80669.98	3112.96	1885.83	2134.47	900.39		3235.21	
GP #15 95 96 97 98 99 100 101 GP #16	1" 6" 1' 2' 3' 4' 5'	67433.31 484.95 595.08 1414.63 66.14 74.89 55.01	3215.79 91.62 97.85 169.03	1432.43	1210.6	674.48		4989.4	2783.31
102 103 104	1" 6" 1'	84.29 116.39 176.22			74.87			434.54	
GP #17 105 106 107 108	1" 6" 1' 2.5'	262.56 333.07 38.18 30.96			251.19 258.83				

LOCATION	DEPTH	Lead	Arsenic	Mercury	Zinc	Copper	Nickel	Cobalt	Chromium
GP #18									
109 110 111 112 113	2.5" 9" 1.5' 3" - 9" Comp 2.5'	409.97 677.3 201.47 791.75 36.32	52.52 95.16		174.13	2349.09	3491.74	19204.82 2144.89	16097.08
114 115 GP #19	3' 4.5'	46.23 33.2							259.11
116 117 118 119 120 121 GP #20	1" 6" 1' 2.5' 3.25' 4.5'	1376.14 460.51 115.06 40.77 206.39 28.66			156.75 2181.29 234.65 320.59	193.38		851.21	528.23
122 123 124 125	2" 6" 1' 2'	49.97 35.09 31.09							
GP #21 126 127 128 129 GP #22	2" 6" 1' 2'	102.03 152.22 244.14 29.01			83.44 125.91				
130 131 132 133 134 135 136	2" 6" 1' 1.5' 2.25' 3' 4'	38.37 112.14 87.66 83.94 30.65 22.67 26.23	656.5 30.38		260.09 93.19			1277.92	
GP #23 137 138 139 140 141 142	1" 6" 1' 1.5' 3' 6" Comp	178.41 209.06 280.78 28.68 27.06 92.7	590.4 198.71 252.82		139.07 112.14 111.05			473.61 462.81	
GP #24 143 144 145 146 147	2" 6" 1' 2' 3'	225.06 86.1 31.59 37.81	141.43 79.72		97.53 91.55			382	
GP #25 148 149 150 151 152	2" 6" 1' 2' 3'	271.14 315.77 34.54	147.87 74.02 31.18		115.14 73.42			459.48	
GP #26 153 154 155 156 157 158	1" 4" 6" 1' 2' 3'	139.72 83.14 132.86 279.87 28.07	1123.56 1204.22 1141.5 188.38 25.5 27.15	40.5	134.46 121.17 156.65 1279.33	115.36		492.75 1118.26	

LOCATION	DEPTH	Lead	Arsenic	Mercury	Zinc	Copper	Nickel	Cobalt	Chromium
GP #27									
159	3"	43.03	24.45						
160	6"	210.64							2000
161	1'	253.01					1274.48		
162	2'	59.57						557.87	
163	3'	24.86						205.13	
164	4'								
SS #28		P. C. State of the last of the	7 4 5 7 7						
165	Surface	99.77	94.3	- The TALLY				1143.9	
166	6" Comp	101.58	92.98	allestives		A Participation	State of the State of		
SS #29									
167	Surface	141.89	125.39						
168	6" Comp	115.16	47.43					745.54	
SS #30				E 1 13.2					
169	Surface	113.61		ACC .		P 14 3			
170	4"	343.07			256.43			2422.64	

Concentrations highlighted in red indicate those which exceeded TACO Tier 1 clean-up objectives.

					TABLE 1						
			¥	INORGANIC SAMPLE SUMMARY	SAMPLES	UMMARY					
Sample Point	X101	X102	X103	X104	X105	X106	X107	X108	X109	X110	X1111
Geoprobe Location	GP - 4	GP - 7	GP - 12	GP - 14	GP - 15	GP - 15	GP - 18	GP - 22	GP - 23	GP - 24	GP - 26
Depth	5" - 1'	5" - 1'	2"-9"	.4	:-	:-	4" - 9"	6" - 10"	.90	2.5' - 3'	90
						(duplicate)					•
INORGANICS (ppm)											
Aluminum	3900.0	4900.0	2800.0	4400.0	4900.0	5700.0	3800.0	6400.0	4500.0	2000.0	11000.0
Antimony	7.8	11.0	7.4	23.0	140.0	100.0	3.9	4.1	78.0	1	11.0
Arsenic	720.0	1400.0	440.0	28.0	82.0	1	14.0	400.0	540.0	2.4	1100.0
Barium	70.0	77.0	48.0	160.0	1300.0	1300.0	450.0	56.0	92.0	11.0	170.0
Beryllium	0.7	8.0	9.0	1	1	!	0.5	1.3	1.0	0.1	2.6
Boron	26.0	26.0	12.0	8.7	130.0	0.06	1300.0	35.0	42.0	1.3	120.0
Cadmium	6.0	1.5	6.0	2.8	}	1	6.7	4:1	1.2	1	2.7
Calcium	18000.0	38000.0	7200.0	6300.0	17000.0	15000.0	1100.0	7100.0	11000.0	4200.0	31000.0
Chromium	11.0	12.0	7.4	0.99	280.0	270.0	84.0	11.0	12.0	3.0	18.0
Cobalt	6.1	6.2	4.7	10.0	1	1	14.0	7.4	6.5	3.0	7.3
Copper	40.0	64.0	48.0	130.0	260.0	260.0	170.0	37.0	83.0	4.4	78.0
Iron	32000.0	34000.0	18000.0	79000.0	92000.0	95000.0	110000.0	36000.0	36000.0	4000.0	48000.0
Lead	150.0	0.081	140.0	21000.0	45000.0	42000.0	290.0	77.0	0.0001	3.7	130.0
Magnesium	3100.0	5100.0	1900.0	1200.0	2500.0	2700.0	0.066	1500.0	2500.0	2000.0	1400.0
Manganese	400.0	440.0	270.0	530.0	920.0	1100.0	3500.0	360.0	400.0	110.0	650.0
Mercury	0.5	0.7	9:0	2.9	16.0	18.0	1.3	0.4	0.5	1	9.0
Nickel	12.0	15.0	0.11	79.0	390.0	360.0	84.0	22.0	18.0	5.7	21.0
Potassium	480.0	280.0	340.0	1	1	;	370.0	460.0	480.0	210.0	1100.0
Selenium	1.4	1	1	1	1	1	1	1.0	1	1	1.3
Silver	0.7	0.7	9.7	1	1	1	!	4.0	;	1	;
Sodium	150.0	180.0	1	1	1	ı	290.0	1	100.0	1	37.0
Strontium	20.0	53.0	16.0	19.0	46.0	44.0	37.0	19.0	23.0	4.6	58.0
Thallium	1	1		16.0	200.0	}	1	1	1	1	ı
Vanadium	15.0	16.0	12.0	19.0	!	:	16.0	19.0	14.0	6.7	25.0
Zinc	94.0	160.0	86.0	430.0	790.0	0.006	180.0	150.0	130.0	14.0	250.0
Cyanide	0.1	0.1	0.1	0.3	1.8	1.6	1.0	0.2	0.2		0.2

	TCLP SA	TABLE 2 TCLP SAMPLE SUMMARY	IMARY		
Sample Point	X104	X105	X106	X109	X111
Hd	8.8	9.8	9.8	8.7	8.7
Geoprobe Location	GP - 14	GP - 15	GP -15	GP - 23	GP - 26
Depth	<u>.</u> 4	1,	1,,	90	90
			(duplicate)		
INORGANICS (ppm)					
Antimony	!	0.04	0.02	1	ŀ
Arsenic	1	1	-	0.16	0.33
Barium	1.20	1.80	1.90	0.24	0.26
Cadmium	0.02	0.03	0.03	0.00	0.00
Lead	290.00	360.00	300.00	0.12	0.04
Nickel	0.10	0.40	0.36	0.01	0.01
Zinc	0.93	3.60	4.10	0.11	0.47

APPENDIX C LABORATORY RESULTS



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name:	AAVANA RIGHT OF WAY	Received By:	Lou Due
Project Facility N	umber: 1250205005	Date/Time Received :	15-Jun-04 09:11

PR51 Funding Code Visit No.:

Trip ID:

X101 Client Sample ID: C4F2448-01 Lab Sample ID:

Soil- RCRA Date/Time Collected: Matrix: 08-Jun-04 00:00

Sample Type:

*** DEFAULT GENERAL METHOD ***

SM 2540G Method: Analyzed: 29-Jun-04 08:53

Units: Sample Qualifier.

Analyte Result Qualifier Reporting Limit Regulatory Level

Solids. % 92.9 0.1

Cyanide, Total and Amenable(Colorimetric, Automated UV) by RCRA 9012

9012 16-Jun-04 13:31 Method: Analyzed:

mg/kg dry Units: Sample Qualifier

Analyte Result Qualifier Reporting Limit Regulatory Level

Cyanide, Soil 0.07 02

Mercury (RCRA) by EPA 7000 Series Methods

7471 12-Aug-04 16:19 Method: Analyzed:

Units: mg/kg A-01d Sample Qualifier:

Analyte Result Qualifier Reporting Limit Regulatory Level J3, J4

Mercury, Total SW846 0.54 0.10

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition 41.37644

> 13-Aug-04 11:00 Reported:

Page | of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name: HAVANA RIGHT OF WAY Received By: Lou Due

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

Trip ID:

Client Sample ID: X101 Lab Sample ID: C4F2448-01

Matrix: Soil- RCRA Date/Time Collected: 08-Jun-04 00:00

Sample Type

Method:

RCRA Metals by EPA 6000/7000 Series Methods

Units:	mg/kg dry		Sample Qualifier.	
<u>Analyte</u> Calcium, Solid	<u>Result</u> 18000	Qualifier	Reporting Limit 54	Regulatory Level
lagnesium. Solid	3100		54	
Sodium, Solid	150		54	
Potassium, Solid	480		220	
Aluminum, Solid	3900		11	
Antimony, Solid	7.8		0.65	
Arsenic, Solid	720		1.1	
Barium, Solid	70		0.54	
Boron, Solid	26		5.4	
Beryllium, Solid	0.66		0.11	
Cadmium, Solid	0.94		0.54	
Chromium, Solid	11		0.54	
Copper, Solid	40		0.54	
Cobalt, Solid	6.1		0.54	
Iron, Solid	32000		11	
Lead, Solid	150		0.54	

Champaign IEPA Laboratory

6010

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition #E37644

Reported: 13-Aug-04 11:00

25-Jun-04 13:54

Page 2 of 44

Analyzed:



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name:	HAVANA RIGHT OF WAY	Received By:	Lou Due
vaine:	HAVANA RIGITI OF WAT	Received By:	Loui

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

Trip ID:

Client Sample ID: X101 Lab Sample ID: C4F2448-01

Matrix: Soil- RCRA Date/Time Collected: 08-Jun-04 00:00

Sample Type:

RCRA Metals by EPA 6000/7000 Series Methods

Method: 6010 Analyzed: 25-Jun-04 13:54

Units: mg kg dry Sample Qualifier:

Analyte	Result	<u>Qualifier</u>	Reporting Limit	Regulatory Level
Manganese, Solid	400		0.54	
Mickel, Solid	12		0.54	
Selenium, Solid	1.4		1.1	
Silver, Solid	0.68	J4	0.54	
Strontium, Solid	20		0.54	
Thallium, Solid	ND		1.3	
Vanadium, Solid	15		0.54	
Zine, Solid	94		1.1	

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.NELAP Compliant Accredition #E37644

Reported: 13-Aug-04 11:00

Page 3 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

lame:	HAVANA RIGHT OF WAY	Received By:	Lou Due
-------	---------------------	--------------	---------

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

Trip ID:

Client Sample ID: X102 Lab Sample ID: C4F2449-01

Matrix: Soil- RCRA Date/Time Collected: 08-Jun-04 00:00

Sample Type:

*** DEFAULT GENERAL METHOD ***

Method: SM 2540G Analyzed: 29-Jun-04 08:53

Units: %

Analyte Result Qualifier Reporting Limit Regulatory Level

Solids, % 88.3 0.1

Cyanide, Total and Amenable(Colorimetric, Automated UV) by RCRA 9012

Method: 9012 Analyzed: 16-Jun-04 13:31

Units: mg/kg dry Sample Qualifier:

Analyte Result Qualifier Reporting Limit Regulatory Level

Cyanide, Soil 0.09 0.2

Mercury (RCRA) by EPA 7000 Series Methods

Method: 7471 Analyzed: 12-Aug-04 16:19

Units: mg/kg Sample Qualifier: A-01d

Analyte Result Qualifier Reporting Limit Regulatory Level

Mercury, Total SW846 0.71 J3, J4 0.10

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed it, accordance with the chair of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition #E37644

Sample Qualifier:

Reported: 13-Aug-04 11:00

Page 4 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name: HAVANA RIGHT OF WAY Received By: Lou Due

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code PR51 Visit No.:

Trip ID:

Client Sample ID: X102 Lab Sample ID: C4F2449-01

Matrix: Soil- RCRA Date/Time Collected: 08-Jun-04-00:00

Sample Type:

RCRA Metals by EPA 6000/7000 Series Methods

Method:	6010			Analyzed:	25-Jun-04 14:07
Units:	mg/kg dry			Sample Qualifier:	
<u>Analyte</u>		Result	Qualifier	Reporting Limit	Regulatory Level
Calcium, Solid		38000		57	
lagnesium, Solid		5100		57	
Sodium, Solid		180		57	
Potassium, Solid		580		230	
Aluminum, Solid		4900		11	
Antimony, Solid		11		0.68	
Arsenic, Solid		1400		1.1	
Barium, Solid		77		0.57	
Boron, Solid		26		5.7	
Beryllium, Solid		0.82		0.11	
Cadmium, Solid		1.5		0.57	
Chromium, Solid		12		0.57	
Copper, Solid		64		0.57	
Cobalt, Solid		6.2		0.57	
Iron, Solid		34000		11	
Lead. Solid		180		0.57	

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accordance (4, 37644).

Reported: 13-Aug-04-11:00

Page 5 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name: HAYANA RIGHT OF WAY Received By:	me:	HAVANA RIGHT OF WAY	Received By:	Lou Due
--	-----	---------------------	--------------	---------

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

Trip ID:

Client Sample ID: X102 Lab Sample ID: C4F2449-01

Matrix: Soil- RCRA Date/Time Collected: 08-Jun-04 00:00

Sample Type:

Method:

RCRA Metals by EPA 6000/7000 Series Methods

Units:	mg/kg dry	Sample Qualifier:			
<u>Analyte</u> Manganese, Solid		Result 440	<u>Qualifier</u>	Reporting Limit 0.57	Regulatory Level
Mirickel, Solid		15		0.57	
Selenium, Solid		ND		1.1	
Silver, Solid		0.70	J4	0.57	
Strontium, Solid		53		0.57	
Thallium, Solid		ND		1.4	
Vanadium, Solid		16		0.57	
Zinc, Solid		160		1.1	

Champaign IEPA Laboratory

6010

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition #E37644

Reported: 13-Aug-04 11:00

25-Jun-04 14:07

Page 6 of 44

Analyzed:



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name: HAVANA RIGHT OF WAY	Received By:	Lou Due
---------------------------	--------------	---------

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code PR51 Visit No :

Trip ID:

Client Sample ID: X103 Lab Sample ID: C4F2450-01

Matrix: Soil- RCRA Date Time Collected: 08-Jun-04-00:00

Sample Type:

*** DEFAULT GENERAL METHOD ***

Method: SM 2540G Analyzed: 29-Jun-04 08:53

Units: %

Analyte Result Qualifier Reporting Limit Regulatory Level

Solids, % 90.6 0.1

No. West, and

Cyanide, Total and Amenable(Colorimetric, Automated UV) by RCRA 9012

Method: 9012 Analyzed: 16-Jun-04 13:31

Units: mg/kg dry Sample Qualifier:

Analyte Result Qualifier Reporting Limit Regulatory Level

Cyanide.Soil 0.05

Mercury (RCRA) by EPA 7000 Series Methods

Method: 7471 Analyzed: 12-Aug-04 16:19

Units: mg/kg Sample Qualifier: A-01d

Analyte Result Qualifier Reporting Limit Regulatory Level

Mercury, Total SW846 0.58 J3, J4 0.10

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Comphant Accredition #E37644

Sample Qualifier:

Reported: 13-Aug-04 11:00

Page 7 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name:	HAVANA RIGHT OF WAY	Received By:	Lou Due

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

Trip ID:

Client Sample ID: X103 Lab Sample ID: C4F2450-01

Matrix: Soil- RCRA Date/Time Collected: 08-Jun-04 00:00

Sample Type:

Method:

RCRA Metals by EPA 6000/7000 Series Methods

				•	
Units:	mg/kg dry			Sample Qualifier:	
<u>Analyte</u> Calcium, Solid		<u>Result</u> 7200	<u>Qualifier</u>	Reporting Limit 55	Regulatory Level
*Imalagnesium. Solid		1900		55	
Sodium, Sol d		ND		55	
Potassium, Solid		340		220	
Aluminum, Solid		2800		11	
Antimony, Solid		7.4		0.66	
Arsenic, Solid		440		1.1	
Barium, Solid		48		0.55	
Boron, Solid		12		5.5	
Beryllium, Solid		0.55		0.11	
Cadmium, Solid		0.92		0.55	
Chromium, Solid		7.4		0.55	
Copper, Solid		48		0.55	
Cobalt. Solid		4.7		0.55	
Iron, Solid		18000		11	
Lead, Solid		140		0.55	

Champaign IEPA Laboratory

6010

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition #E37644

Reported: 13-Aug-04 11:00

25-Jun-04 14:14

Page 8 of 44

Analyzed:



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name: HAVANA RIGHT OF WAY Received By: Lou Due

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

Trip ID:

Client Sample ID: X103 Lab Sample ID: C4F2450-01

Matrix: Soil- RCRA Date/Time Collected: 08-Jun-04 00:00

Sample Type:

Method:

RCRA Metals by EPA 6000/7000 Series Methods

Units:	mg/kg dry	Sample Qualifier:		
Analyte Manganese, Solid	Result 270	Qualifier	Reporting Limit 0.55	Regulatory Level
Mprickel, Solid	11		0.55	
Selenium, Solid	ND		1.1	
Silver, Solid	0.38		0.55	
Strontium, Solid	16		0.55	
Thallium, Solid	ND		1.3	
Vanadium, Solid	12		0.55	
Zinc, Solid	86		1.1	

Champaign IEPA Laboratory

6010

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Complaint Accredition #E37644

Reported: 13-Aug-04 11:00

25-Jun-04 14:14

Page 9 of 44

Analyzed:



Name:

HAVANA RIGHT OF WAY

Illinois Environmental Protection Agency Laboratory

2125 S. First Street Champaign, Illinois 61820 217.278.5858

Received By:

Sample Qualifier:

Reporting Limit

0.1

LABORATORY RESULTS

Project/Facility N	lumber:	1250205005	Date/Time I	Received:	15-Jun-04 09:11
Funding Code:		PR51	Visit No.:		
Trip ID:					
Client Sample ID:	X104		Lab S	ample ID:	C4F2451-01
Matrix:	Soil- RCR		Date Ti	ime Collected:	09-Jun-04 00 00
Sample Type:					
		*** DEFAULT GEN	ERAL METHOD ***		
Method:	SM 2540	G	Analy	zed:	29-Jun-04 08:53
Units:	0/0		2		

Analyte

Solids, %

Cyanide, Total and Amenable(Colorimetric, Automated UV) by RCRA 9012

Qualifier

Method: 9012 Analyzed: 16-Jun-04 13:31
Units: mg/kg dry Sarank Qualification

Onits: Sample Qualifier:

Result

92.9

AnalyteResultQualifierReporting LimitRegulatory LevelCyanide, Soil0.320.2

Mercury (RCRA) by EPA 7000 Series Methods

Method: 7471 Analyzed: 12-Aug-04 16:19

Units: mg/kg Sample Qualifier: A-01d

AnalyteResultQualifierReporting LimitRegulatory LevelMercury, Total SW8462.9J3. J40.10

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition #E37644

Reported: 13-Aug-04 11:00

Lou Due

Regulatory Level

Page 10 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name:	HAVANA RIGHT OF WAY	Received By:	Lou Due
Name.	HATANA MIGHT OF WAT	NECELVEG DV.	Lou Du

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

Trip ID:

Client Sample ID: X104 Lab Sample ID: C4F2451-01

Matrix: Soil- RCRA Date/Time Collected: 09-Jun-04 00:00

Sample Type:

RCRA Metals by EPA 6000/7000 Series Methods

Method:	6010		Analyzed	l: 25-Jun-04 19:40
Units:	mg/kg dry		Sample (Qualifier:
<u>Analyte</u>	Resu	<u>Qualific</u>	er Reporting	Limit Regulatory Level
Calcium, Solid	630	00	540	
Magnesium, Solid	120	00	540	
Sodium, Solid	N	D	540	
Potassium, Solid	N	D	2200	
Aluminum, Solid	440	00	110	
Antimony, Solid	23	3	6.5	
Arsenic, Solid	28	3	11	
Barium, Solid	16	0	5.4	
Boron, Solid	8.	7	54	
Berylliam, Solid	NI)	1.1	
Cadmium, Solid	2.8	3	5.4	
Chromium, Solid	66		5.4	
Copper, Solid	13	0	5.4	
Cobalt, Solid	10)	5.4	
Iron, Solid	790	00	110	
Lead. Solid	210	00	5.4	

Champa gn IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition #E37644

Reported: 13-Aug-04 11:00

Page 11 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name:	HAVANA RIGHT OF WAY	Received By:	Lou Due

1250205005 Project/Facility Number: Date/Time Received: 15-Jun-04 09:11

Funding Code PR51 Visit No :

Trip ID:

Client Sample ID: X104 C4F2451-01 Lab Sample ID:

Soil- RCRA Date/Time Collected: 09-Jun-04 00:00 Matrix:

Sample Type:

RCRA Metals by EPA 6000/7000 Series Methods

Method:	6010			Analyzed:	25-Jun-04 19:40
Units:	mg/kg dry			Sample Qualifier:	
<u>Analvte</u> Manganese, Solid		Result 530	<u>Qualifier</u>	Reporting Limit 5.4	Regulatory Level
* imaickel, Solid		79		5.4	
Selenium, Solid		ND		11	
Silver, Solid		ND	.14	5.4	
Strontium, Solid		19		5.4	
Thallium, Solid		16		13	
Vanadium, Solid		19		5.4	
Zinc, Solid		430		11	

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition #1:37644

Reported: 13-Aug-04 11:00

Page 12 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name: HAVANA RIGHT OF WAY Lou Due Received By:

1250205005 15-Jun-04 09 11 Project/Facility Number: Date Time Received:

PR51 Funding Code: Visit No.:

Trip ID:

Client Sample ID: X104 TCLP C4F2451-02 Lab Sample ID:

TCLP Extraction Fluid-Date Time Collected. 14-Jun-04 00 00 Matrix:

Sample Type:

*** DEFAULT GENERAL METHOD ***

Method: 100E0 13-Jul-04 13:17 Analyzed:

Units:

<u>Analvte</u> Result Qualifier Reporting Limit Regulatory Level

pH, Initial 8.80

₩H, Final 5.10

Mercury (RCRA) by EPA 7000 Series Methods

7471 Method: Analyzed: 13-Aug-04 10:49

Units: mg/kg

Analyte Result Qualifier Reporting Limit Regulatory Level

Mercury, Total SW846 #, J3, J4, A-01c 0.102.9

TCLP Extraction by EPA 1311

Method: 1311 Analyzed: 28-Jun-04 18:01

mg/L Units: Sample Qualifier:

Analyte Result Qualifier Reporting Limit **Regulatory Level** Antimony, TCLP Sold ND 0.006 0.010 Arsenic, TCLP Solid ND

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.NELAP

Sample Qualifier:

Sample Qualifier:

Compliant Accredition #E37644

Reported: 13-Aug-04 11:00

Page 13 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name: **HAVANA RIGHT OF WAY** Received By: Lou Due

Project/Fazility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No :

Trip ID:

Client Sample ID: X104 TCLP Lab Sample ID: C4F2451-02

Matrix: TCLP Extraction Fluid- Date/Time Collected 14-Jun-04 00:00

Sample Type:

TCLP Extraction by EPA 1311

Method: 1311 Analyzed: 28-Jun-04 18:01

Units: mg/L

<u>Analyte</u>	Result	Qualifier	Reporting Limit	Regulatory Level
Barium, TCLP Solid	1.2		0.005	
eryllium, TCLP Solid	ND		0.001	
Cadmium, TCLP Solid	0.017		0.005	
Chromium, TCLP Solid	ND		0.005	
Lead, TCLP Solid	290		0.50	
Nickel, TCLP Solid	0.10		0.005	
Selenium, TCLP Solid	ND		0.010	
Silver, TCLP Solid	ND		0.005	
Thallium, TCLP Solid	ND		0.012	
Vanadium, TCLP Solid	ND		0.005	
Zinc, TCLP Solid	0.93		0.010	

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition #E37644

Sample Qualifier:

Reported: 13-Aug-04 11 00

Page 14 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name:	HAVANA RIGHT OF WAY	Received By:	Lou Due

Project Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

Trip ID:

Client Sample ID: X105 Lab Sample ID: C4F2452-01

Matrix: Soil- RCRA Date/Time Collected: 09-Jun-04-00:00

Sample Type:

*** DEFAULT GENERAL METHOD ***

Method: **SM 2540G** Analyzed: 29-Jun-04 08:53

Units: %

Analyte Result Qualifier Reporting Limit Regulatory Level

Solids, % 90.1 0.1

Salt of

Cyanide, Total and Amenable(Colorimetric, Automated UV) by RCRA 9012

Method: 9012 Analyzed: 16-Jun-04 13:31

Units: mg/kg dry Sample Qualifier:

<u>Analyte</u> <u>Result</u> <u>Qualifier</u> <u>Reporting Limit</u> <u>Regulatory Level</u>

Cyanide, Soil 1.84 0.2

Mercury (RCRA) by EPA 7000 Series Methods

Method: 7471 Analyzed: 12-Aug-04 16:19

Units: mg/kg Sample Qualifier: A-01d

Analyte Result Qualifier Reporting Limit Regulatory Level

Mercury, Total SW846 16 J3, J4 0.10

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition #E37644

Sample Qualifier:

Reported: 13-Aug-04 11:00

Page 15 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name: HAVANA R

HAVANA RIGHT OF WAY

Received By:

Lou Due

Project/Facility Number:

1250205005

Date/Time Received:

15-Jun-04 09:11

Funding Code:

PR51

Visit No.:

Trip ID:

Client Sample ID:

X105

Lab Sample ID:

C4F2452-01

Matrix:

Soil- RCRA

Date/Time Collected:

09-Jun-04 00:00

Sample Type:

RCRA Metals by EPA 6000/7000 Series Methods

Method:6010Analyzed:25-Jun-04 19:50Units:mg-kg drySample Qualifier:

<u>Analyte</u>	Result	<u>Qualifier</u>	Reporting Limit	Regulatory Level
Calcium, Solid	17000		5500	
ng nagnesium, Solid	2500		5500	
Sodium, Solid	ND		5500	
Potassium, Solid	ND		22000	
Aluminum, Solid	4900		1100	
Antimony, Solid	140		67	
Arsenic, Solid	82		110	
Barium, Solid	1300		55	
Boron, Solid	130		550	
Beryllium, Solid	ND		11	
Cadmium, Solid	ND		55	
Chromium, Solid	280		55	
Copper, Solid	260		55	
Cobalt, Solid	ND		55	
Iron, Solid	92000		1100	
Lead, Solid	45000		55	

Chambaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition #E37644

Reported: 13-Aug-04 11:00

Page 16 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name:	HAVANA RIGHT OF WAY	Received By:	Lou Due
ivaille.	HAVANA KIGILI OL WAL	Received by.	LU

1250205005 Project Facility Number: 15-Jun-04 09:11 Date/Time Received:

PR51 Visit No.: Funding Code

Trip ID:

X105 C4F2452-01 Client Sample ID: Lab Sample ID:

Soil- RCRA Date/Time Collected: 09-Jun-04 00:00 Matrix:

Sample Type:

RCRA Metals by EPA 6000/7000 Series Methods

Method:	6010			Analyzed:	25-Jun-04 19:50
Units:	mg/kg dry			Sample Qualifier:	
<u>Analyte</u> Manganese. Solid		Result 950	Qualifier	Reporting Limit 55	Regulatory Level
Marickel, Solid		390		55	
Selenium, Solid		ND		110	
Silver, Solid		ND		55	
Strontium, Solid		46		55	
Thallium, Solid		200	A-01a	130	
Vanadium, Solid		ND		55	
Zinc, Solid		790		110	

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition #E37644

Reported: 13-Aug-04 11:00

Page 17 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name: HAVANA RIGHT OF WAY Received By: Lou Due

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

Trip ID

Client Sample ID: X105 TCLP Lab Sample ID: C4F2452-02

Matrix: TCLP Extraction Fluid- Date/Time Collected: 09-Jun-04 00:00

Sample Type

*** DEFAULT GENERAL METHOD ***

Method: 100E0 Analyzed: 13-Jul-04 13:18

Units: 7

Analyte Result Qualifier Reporting Limit Regulatory Level

pH, Initial 8.60

H, Final 5.30

Mercury (RCRA) by EPA 7000 Series Methods

Method: 7471 Analyzed: 13-Aug-04 10:49

Units: mg.kg Sample Qualifier:

Analyte Result Qualifier Reporting Limit Regulatory Level

Mercury, Total SW846 16 #, J3, J4, A-01c 0.10

TCLP Extraction by EPA 1311

Method: 1311 Analyzed: 28-Jun-04 18:14

Units: mg/L Sample Qualifier

Analyte Result Qualifier Reporting Limit Regulatory Level
Antimony, TCLP Sold 0.037 J4 0.006

Arsenic, TCLP Sol d ND 0.010

Champaign IEPA Laboratory

The results in this report apply to the sample control of document. This analytical report in

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition #E37644

Sample Qualifier:

Reported: 13-Aug-04 11:00

Page 18 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name:	HAVANA RIGHT OF WAY	Received By:	Lou Due

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04-09:11

Funding Code: PR51 Visit No.:

Trip ID:

Client Sample ID: X105 TCLP Lab Sample ID: C4F2452-02

Matrix: TCLP Extraction Fluid- Date/Time Collected: 09-Jun-04 00:00

Sample Type:

TCLP Extraction by EPA 1311

Method: 1311 Analyzed: 28-Jun-04 18:14

Units: mg/L Sample Qualifier:

<u>Analyte</u>	Result	Qualifier	Reporting Limit	Regulatory Level
Barium, TCLP Solid	1.8		0.005	
eryllium, TCLP Solid	ND		0.001	
Cadmium, TCLP Solid	0.032		0.005	
Chromium, TCLP Solid	ND		0.005	
Lead, TCLP Solid	360		0.50	
Nickel, TCLP Solid	0.40		0.005	
Selenium, TCLP Solid	ND		0.010	
Silver, TCLP Solid	ND		0.005	
Thallium, TCLP Solid	ND		0.012	
Vanadium, "CLP Solid	ND		0.005	
Zine, TCLP Solid	3.6		0.010	

Champaign IEPA Laboratory

The residts at this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition #E37644

Reported: 13-Aug-04 11:00

Page 19 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name:	HAVANA R	IGHT OF WAY		Received By:	Lou Due
Project/Facility	Number:	1250205005		Date/Time Received :	15-Jun-04 09:11
Funding Code:		PR51		Visit No.:	
Trip ID:					
Client Sample ID:	X106			Lab Sample ID:	C4F2453-01
Matrix:	Soil- RCI	RA		Date/Time Collected:	09-Jun-04 00:00
Sample Type:					
		*** DEFAU	LT GENERAL METI	HOD ***	
Method:	SM 254	40G		Analyzed:	29-Jun-04 08:53
Units:	%			Sample Qualifier:	
Analyte Solids, %		<u>Result</u> 91.5	<u>Qualifier</u>	Reporting Limit 0.1	Regulatory Level
	Cy	anide, Total and Amenab	le(Colorimetric,Autom	ated UV) by RCRA 9012	
Method:	9012			Analyzed:	16-Jun-04 13:31
Units:	mg/kg	dry		Sample Qualifier:	
<u>Analyte</u>		Result	<u>Qualifier</u>	Reporting Limit	Regulatory Level
Cyanide,Soil		1.55			0.2
		Mercury (RCI	RA) by EPA 7000 Serie	es Methods	
Method:	7471			Analyzed:	12-Aug-04 16:19
Units:	mg/kg			Sample Qualifier:	A-01d
Analyte		Result	<u>Qualifier</u>	Reporting Limit	Regulatory Level

J3, J4

18

Champaign IEPA Laboratory

Mercury, Total SW846

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition #E37644

0.10

Reported: 13-Aug-04-11-00

Page 20 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name: HAVANA RIGHT OF WAY Received By: Lou Due

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

Trip ID:

Client Sample ID: X106 Lab Sample ID: C4F2453-01

Matrix: Soil- RCRA Date/Time Collected: 09-Jun-04 00:00

Sample Type

RCRA Metals by EPA 6000/7000 Series Methods

Method: 6010 Analyzed: 25-Jun-04 19:59

Units: mg/kg dry Sample Qualifier:

Analyte Calcium, Solid	<u>Result</u> 15000	Qualifier	Reporting Limit 5500	Regulatory Level
lagnesium. Solid	2700		5500	
Sodium, Solid	ND		5500	
Potassium, Solid	ND		22000	
Aluminum, Solid	5700		1100	
Antimony, Solid	100		66	
Arsenic, Solid	ND		110	
Barium, Solid	1300		55	
Boron, Solid	90		550	
Beryllium, Solid	ND		11	
Cadmium, Solid	ND		55	
Chromium, Solid	270		55	
Copper, Solid	260		55	
Cobalt, Solic	ND		55	
Iron, Solid	95000		1100	
Lead, Solid	42000		55	

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.NELAP Compliant Accredition #E37644

Reported: 13-Aug-04 11:00

Page 21 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name:	HAVANA RIGHT OF WAY	Received By:	Lou Due

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

Trip ID:

Client Sample ID: X106 Lab Sample ID: C4F2453-01

Matrix: Soil- RCRA Date/Time Collected: 09-Jun-04 00:00

Sample Type

Method:

RCRA Metals by EPA 6000/7000 Series Methods

Units: mg/	/kg dry		Sample Qualifier:	
<u>Analyte</u> Manganese, Solid	<u>Result</u> 1100	Qualifier	Reporting Limit 55	Regulatory Level
mickel, Solid	360		55	
Selenium, Solid	ND		110	
Silver, Solid	ND		55	
Strontium, Solid	44		55	
Thallium, Solid	ND		130	
Vanadium, Solid	ND		55	
Zinc, Solid	900		110	

6010

25-Jun-04 19:59

Analyzed:



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name: HAVANA RIGHT OF WAY Received By: Lou Due

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

Trip ID:

Client Sample ID: X106 TCLP Lab Sample ID: C4F2453-02

Matrix: TCLP Extraction Fluid- Date/Time Collected: 09-Jun-04 00:00

Sample Type

*** DEFAULT GENERAL METHOD ***

Method: 100E0 Analyzed: 13-Jul-04 13:18

Units: # Sample Qualifier:

Analyte Result Qualifier Reporting Limit Regulatory Level

vH, Initial 8.60

H, Final 5.30

Mercury (RCRA) by EPA 7000 Series Methods

Method: 7471 Analyzed: 13-Aug-04 10:49

Units: mg/kg

Analyte Result Qualifier Reporting Limit Regulatory Level

Mercury, Total SW846 18 #, J3, J4, A-01c 0.10

TCLP Extraction by EPA 1311

Method: 1311 Analyzed: 28-Jun-04 18:20

Units: mg/L Sample Qualifier:

AnalyteResultQualifierReporting LimitRegulatory LevelAntimony, TC1.P Sold0.021140.006

Arsenic, TC _P Sol d ND 0.010

C sampaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP

Compliant Accredition #E37644

Reported: 13-Aug-04 11:00

Page 23 of 44

Sample Qualifier:



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

	NAME OF TAXABLE PARTIES OF TAXAB		
Name:	HAVANA RIGHT OF WAY	Received By:	Lou Due

Project Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code PR51 Visit No...

Trip ID:

Client Sample ID: X106 TCLP Lab Sample ID: C4F2453-02

Matrix: TCLP Extraction Fluid- Date/Time Collected: 09-Jun-04 00:00

Sample Type:

TCLP Extraction by EPA 1311

Method: 1311 Analyzed: 28-Jun-04 18:20

Units: mg/L

<u>Analyte</u>	Result	<u>Qualifier</u>	Reporting Limit	Regulatory Level
Barium, TCLP Solid	1.9		0.005	
eryllium, TCLP Solid	ND		0.001	
Cadmium, TCLP Solid	0.032		0.005	
Chromium, TCLP Solid	ND		0.005	
Lead, TCLP Solid	300		0.50	
Nickel, TCLP Solid	0.36		0.005	
Selenium, TCLP Solid	ND		0.010	
Silver, TCLF Solid	ND		0.005	
Thallium, TCLP Solid	ND		0.012	
Vanadium, TCLP Solid	ND		0.005	
Zinc, TCLP Solid	4.1		0.010	

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the citain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accretion #1.37644

Sample Qualifier:

Reported: 13-Aug-04 11:00

Page 24 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name:	HAVANA RIGHT OF WAY	Received By:	Lou Due

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

Trip ID:

Chent Sample ID: X107 Lab Sample ID: C4F2454-01

Matrix: Soil- RCRA Date Time Collected: 09-Jun-04-00:00

Sample Type

*** DEFAULT GENERAL METHOD ***

Method: SM 2540G Analyzed: 29-Jun-04 08:53

Units: % Sample Qualifier:

Analyte Result Qualifier Reporting Limit Regulatory Level

Solids, % 90.5

·

Cyanide, Total and Amenable(Colorimetric, Automated UV) by RCRA 9012

Method: 9012 Analyzed: 16-Jun-04 13:31

Units: mg/kg dry Sample Qualifier:

Analyte Result Qualifier Reporting Limit Regulatory Level

Cyanide, Soil 0.99 02

Mercury (RCRA) by EPA 7000 Series Methods

Method: 7471 Analyzed: 12-Aug-04 16:19

Units: mg/kg Sample Qualifier: A-01d

Analyte Result Qualifier Reporting Limit Regulatory Level

Mercury, Total SW846 1.3 J3, J4 0.10

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition #E37644

Reported: 13-Aug-04 11 00

Page 25 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name:	HAVANA RIGHT OF WAY	Received By:	Lou Due

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

Trip ID:

Client Sample ID: X107 Lab Sample ID: C4F2454-01

Matrix: Soil- RCRA Date/Time Collected: 09-Jun-04 00:00

Sample Type

Method:

RCRA Metals by EPA 6000/7000 Series Methods

Units:	mg/kg dry			Sample Qualifier:	
<u>Analyte</u> Calcium, Solid		Result 11000	Qualifier	Reporting Limit 55	Regulatory Level
1agnesium, Solid		990		55	
Sodium, Solid		290		55	
Potassium, Solid		370	A-01b	220	
Aluminum, Solid		3800		11	
Antimony, Solid		3.9		0.66	
Arsenic, Solid		14		1.1	
Barium, Solid		450		0.55	
Boron, Solid		1300		5.5	
Beryllium, Solid		0.52		0.11	
Cadmium, Solid		6.7		0.55	
Chromium, Solid		84		0.55	
Copper, Solid		170		0.55	
Cobalt, Solid		14		0.55	
Iron, Solid		110000	L	11	
Lead, Solid		290		0.55	

Champaign IEPA Laboratory

6010

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.NELAP Comphant Accredition #E37644

Reported: 13-Aug-04 11:00

25-Jun-04 14:53

Page 26 of 44

Analyzed:



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name:	HAVANA RIGHT OF WAY	Received By:	Lou Due

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

Trip ID:

Client Sample ID: X107 Lab Sample ID: C4F2454-01

Matrix: Soil- RCRA Date/Time Collected: 09-Jun-04 00:00

Sample Type:

Method:

RCRA Metals by EPA 6000/7000 Series Methods

Units:	mg/kg dry			Sample Qualifier:	
Analyte Manganese, Solid		Result 3500	<u>Qualifier</u>	Reporting Limit 0.55	Regulatory Level
ickel, Solid		84		0.55	
Selenium, Solid		ND		1.1	
Silver, Solid		ND		0.55	
Strontium, Solid		37		0.55	
Thallium, Solid		ND		1.3	
Vanadium, Solid		16		0.55	
Zinc, Solid		180		1.1	

Champaign IEPA Laboratory

6010

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its empety NELAP Compliant Accredition #E37644

Reported: 13-Aug-04 11:00

25-Jun-04 14:53

Page 27 of 44

Analyzed:



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name:	HAVANA RIGHT OF WAY	Received By:	Lou Due

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

Trip ID:

Client Sample ID: X108 Lab Sample ID: C4F2455-01

Matrix: Soil- RCRA Date Time Collected: 10-Jun-04-00:00

Sample Type:

*** DEFAULT GENERAL METHOD ***

Method: SM 2540G Analyzed: 29-Jun-04 08:53

Units: % Sample Qualifier:

Analyte Result Qualifier Reporting Limit Regulatory Level

Solids, % 90.1

Cyanide, Total and Amenable(Colorimetric, Automated UV) by RCRA 9012

Method: 9012 Analyzed: 16-Jun-04 13:31

Units: mg/kg dry Sample Qualifier:

Analyte Result Qualifier Reporting Limit Regulatory Level

Cyanide Soil 0.16 02

Mercury (RCRA) by EPA 7000 Series Methods

Method: 7471 Analyzed: 12-Aug-04 16:19

Units: mg/kg Sample Qualifier: A-01d

Analyte Result Qualifier Reporting Limit Regulatory Level

Mercury, Total SW846 0.41 J3. J4 0.10

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition #E37644

Reported: 13-Aug-04 11:00

Page 28 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

HAVANA RIGHT OF WAY Lou Due Received By: Name:

1250205005 15-Jun-04 09:11 Project/Facility Number: Date/Time Received:

PR51 Funding Code: Visit No..

Trip ID:

X108 C4F2455-01 Client Sample ID: Lab Sample ID:

Date/Time Collected: Soil-RCRA 10-Jun-04 00:00 Matrix:

Sample Type

RCRA Metals by EPA 6000/7000 Series Methods

Method:	6010			Analyzed:	25-Jun-04 14:59
Units:	mg/kg dry			Sample Qualifier	
<u>Analyte</u>		Result	Qualifier	Reporting Limit	Regulatory Level
Calcium, Solid		7100		55	
Magnesium. Solid		1500		55	
Sodium, Sol d		ND		55	
Potassium, Solid		460	A-01b	220	
Aluminum, Solid		6400		11	
Antimony, Solid		4.1		0.67	
Arsenic, Solid		400		1.1	
Barium, Solid		56		0.55	
Boron, Solid		35		5.5	
Beryllium, Solid		1.3		0.11	
Cadmium, Solid		1.4		0.55	
Chromium, Solid		11		0.55	
Copper, Solid		37		0.55	
Cobalt, Solid		7.4		0.55	
Iron, Solid		36000		11	
Lead, Solid		77		0.55	

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP. Compliant Accredition #E37644

Reported: 13-Aug-04 11.00

Page 29 of 44



2125 S. First Street Champaign, Illinois 61820 217,278.5858

LABORATORY RESULTS

Name: HAVANA RIGHT OF WAY Received By: Lou Due

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

Trip ID:

Client Sample ID: X108 Lab Sample ID: C4F2455-01

Matrix: Soil- RCRA Date Time Collected: 10-Jun-04 00:00

Sample Type

Method:

RCRA Metals by EPA 6000/7000 Series Methods

Units:	mg/kg dry			Sample Qualifier:	
Analyte Manganese. Solid		Result 360	Qualifier	Reporting Limit 0.55	Regulatory Level
w prickel, Solid		22		0.55	
Selenium, Solid		1.0		1.1	
Silver, Solid		0.44		0.55	
Strontium, Solid		19		0.55	
Thallium, Selid		ND		1.3	
Vanadium, Solid		19		0.55	
Zinc, Solid		150		1.1	

C tampaign IEPA Laboratory

6010

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition #E37644

Reported: 13-Aug-04 11:00

25-Jun-04 14:59

Page 30 of 44

Analyzed:



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name:	HAVANA R	IGHT OF WAY		Received By:	Lou Due
Project/Facility	Number:	1250205005		Date/Time Received :	15-Jun-04 09:11
Funding Code.		PR51		Visit No :	
Trip ID:					
Client Sample ID:	X109			Lab Sample ID:	C4F2456-01
Matrix:	Soil- RCI	R.A.		Date/Time Collected:	10-Jun-04 00:00
Sample Type					
		*** DEF	AULT GENERAL ME	THOD ***	
Method:	SM 25-	40G		Analyzed:	29-Jun-04 08:53
Units:	%			Sample Qualifier	
<u>Analyte</u>		Result	Qualifier	Reporting Limit	Regulatory Level
Solids, %		88.1		0.1	
u r					
	Су	anide, Total and Amen	able(Colorimetric,Auto	omated UV) by RCRA 9012	
Method:	9012			Analyzed:	16-Jun-04 13:31
Units:	mg/kg (dry		Sample Qualifier:	
<u>Analyte</u>		Result	Qualifier	Reporting Limit	Regulatory Level
Cyanide,Soil		0.16			0.2
		Mercury (R	CRA) by EPA 7000 Se	ries Methods	

Qualifier

J3, J4

Champaign IEPA Laboratory

7471

mg/kg

Result

0.46

Method:

Analyte

Mercury, Total SW846

Units:

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Computant Activities (1.3%644)

Reported: 13-Aug-04 11:00

12-Aug-04 16:19

Regulatory Level

A-01d

Page 31 of 44

Analyzed:

Sample Qualifier:

Reporting Limit

0.10



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name: HAVANA RIGHT OF WAY Received By: Lou Due

Project-Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No

Trip ID:

Client Sample ID: X109 Lab Sample ID: C4F2456-01

Matrix: Soil- RCRA Date/Time Collected: 10-Jun-04 00:00

Sample Type:

Method:

RCRA Metals by EPA 6000/7000 Series Methods

Units:	mg/kg dry			Sample Qualifier:	
<u>Analyte</u> Calcium, Solid		<u>Result</u> 11000	Qualifier	Reporting Limit 57	Regulatory Level
1agnesium, Soli	d	2500		57	
Sodium. Solid		100		57	
Potassium, Solid		480	A-01b	230	
Aluminum, Solid	I	4500		11	
Antimony, Solid		78		0.68	
Arsenic, Solid		540		1.1	
Barium, Solid		92		0.57	
Boron, Solid		42		5.7	
Beryllium, Solid		0.97		0.11	
Cadmium, Solid		1.2		0.57	
Chromium, Solid	l	12		0.57	
Copper, Solid		83		0.57	
Cobalt, Solid		6.5		0.57	
Iron, Solid		36000		11	
Lead, Solid		1000		0.57	

Champaign IEPA Laboratory

6010

The results in this error: apply to the samples analyzed in accordance with the chain of custody auctiment. This analytical report must be reproduced in its entirety NELAP Complaint. According #1.37644

Reported: 13-Aug-04 11:00

25-Jun-04 15:06

Page 32 of 44

Analyzed:



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name:	HAVANA RIGHT OF WAY	Received By:	Lou Due

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No

Trip ID:

Client Sample ID: X109 Lab Sample ID: C4F2456-01

Matrix: Soil- RCRA Date/Time Collected: 10-Jun-04-00:00

Sample Type:

Method:

RCRA Metals by EPA 6000/7000 Series Methods

Units:	mg/kg dry			Sample Qualifier:	
Analyte Manganese, Solid		<u>Result</u> 400	Qualifier	Reporting Limit 0.57	Regulatory Level
Mickel, Solid		18		0.57	
Selenium, Solid		ND		1.1	
Silver, Solid		ND		0.57	
Strontium, Solid		23		0.57	
Thallium, Solid		ND		1.4	
Vanadium, Solid		14		0.57	
Zinc, Solid		130		1.1	

Champaign IEPA Laboratory

6010

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.NELAP Compliant Accredition #E37644

Reported: 13-Aug-04 11:00

25-Jun-04 15:06

Page 33 of 44

Analyzed:



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name: HAVANA RIGHT OF WAY Received By: Lou Due

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

Trip ID:

Client Sample ID: X109 TCLP Lab Sample ID: C4F2456-02

Matrix: TCLP Extraction Fluid- Date/Time Collected: 10-Jun-04 00:00

Sample Type:

*** DEFAULT GENERAL METHOD ***

Method: 100E0 Analyzed: 13-Jul-04 13:19

Units: #

Analyte Result Qualifier Reporting Limit Regulatory Level

pH, Initial 8.70

μρΗ, Final 5.10

Mercury (RCRA) by EPA 7000 Series Methods

Method: 7471 Analyzed: 13-Aug-04 10:49

Units: mg/kg

Analyte Result Qualifier Reporting Limit Regulatory Level

Mercury, Total SW846 0.46 #, J3, J4, A-01c 0.10

TCLP Extraction by EPA 1311

Method: 1311 Analyzed: 28-Jun-04 18:27

Units: mg/L Sample Qualifier:

AnalyteResultQualifierReporting LimitRegulatory LevelAntimony, TCLP SoldND0.006

Arsenic, TCLP Solid 0.16 0.010

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition #E37644

Sample Qualifier:

Sample Qualifier:

Reported: 13-Aug-04 11:00

Page 34 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name: HAVANA RIGHT OF WAY Received By: Lou Due

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04-09:11

Funding Code: PR51 Visit No.:

Trip ID:

Client Sample ID: X109 TCLP Lab Sample ID: C4F2456-02

Matrix: TCLP Extraction Fluid- Date: Time Collected: 10-Jun-04 00:00

Sample Type:

TCLP Extraction by EPA 1311

Method: 1311 Analyzed: 28-Jun-04 18:27

Units: mg/L Sample Qualifier:

Analyte	Result	Qualifier	Reporting Limit	Regulatory Level
Barium, TCLP Solid	0.24		0.005	
*** TCLP Solid	ND		0.001	
Cadmium, TCLP Solid	0.001		0.005	
Chromium, TCLP Solid	ND		0.005	
Lead, TCLP Solid	0.12		0.005	
Nickel, TCLP Solid	0.008	A-01	0.005	
Selenium, TCLP Solid	ND		0.010	
Silver, TCLP Solid	ND		0.005	
Thallium, TCLP Solid	ND		0.012	
Vanadium, TCLP Solid	ND		0.005	
Zinc, TCLP Solid	0.11		0.010	

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant. Accredition #1.37644

Reported: 13-Aug-04 11.00

Page 35 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name:	HAVANA RIGHT OF WAY	Received By:	Lou Due

1250205005 15-Jun-04 09:11 Project/Facility Number: Date/Time Received:

PR51 Visit No.: Funding Code:

Trip ID:

X110 C4F2457-01 Client Sample ID Lab Sample ID:

Soil-RCRA Date/Time Collected: 10-Jun-04 00:00 Matrix:

Sample Type

*** DEFAULT GENERAL METHOD ***

SM 2540G 29-Jun-04 08:53 Method: Analyzed:

% Units:

Analyte Result Qualifier Reporting Limit Regulatory Level

Solids, % 95.3 0.1

Cyanide, Total and Amenable(Colorimetric, Automated UV) by RCRA 9012

9012 16-Jun-04 13:31 Method Analyzed:

mg/kg dry Units: Sample Qualifier:

Reporting Limit Regulatory Level **Analyte** Result Qualifier

Cyanide, Soi! 0.2 ND

Mercury (RCRA) by EPA 7000 Series Methods

7471 12-Aug-04 16:19 Method: Analyzed:

mg/kg Units: A-01d Sample Qualifier:

Qualifier Reporting Limit **Analyte** Result Regulatory Level

J3, J4 0.10 Mercury, Total SW346 ND

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NEL 1P

Sample Qualifier:

Compliant Accredition #E37644

Reported: 13-Aug-04 11:00

Page 36 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name:	HAVANA RIGHT OF WAY	Received By:	Lou Due
-------	---------------------	--------------	---------

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code PR51 Visit No.:

Trip ID:

Client Sample ID: X110 Lab Sample ID: C4F2457-01

Matrix: Soil- RCRA Date/Time Collected: 10-Jun-04 00:00

Sample Type:

Method:

RCRA Metals by EPA 6000/7000 Series Methods

wichiod.	00.0			Mary Zea.	25 04 5 102
Units:	mg/kg dry			Sample Qualifier:	
<u>Analyte</u>		Result	Qualifier	Reporting Limit	Regulatory Level
Calcium, Solid		4200		52	
agnesium, Solid		2000		52	
Sodium, Solid		ND		52	
Potassium, Solid		210	A-01b	210	
Aluminum, Solid		2000		01	
Antimony, Solid		ND		0.63	
Arsenic, Solid		2.4		1.0	
Barium, Solid		11		0.52	
Boron, Solid		1.3		5.2	
Beryllium, Solid		0.12		0.10	
Cadmium, Solid		ND		0.52	
Chromium, Solid		3.0		0.52	
Copper, Solid		4.4		0.52	
Cobalt, Solid		3.0		0.52	
Iron, Solid		4000		10	
Lead, Solid		3.7		0.52	

Champaign IEPA Laboratory

6010

The results in this report apply to the samples analyzed in accordance with the chain of custady document. This analytical report must be reproduced in its entirety NFLAP Compliant Accredition 3E.3 7644

Reported: 13-Aug-04 11:00

25-Jun-04 15:12

Page 37 of 44

Analyzed:



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Vame:	HAVANA RIGHT OF WAY	Received By:	Lou Due
vanie.	HAYANA KIGILI OL WAT	Keceived BV:	Lou Duc

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

Trip ID:

Client Sample ID: X110 Lab Sample ID: C4F2457-01

Matrix: Soil- RCRA Date/Time Collected: 10-Jun-04 00:00

Sample Type:

RCRA Metals by EPA 6000/7000 Series Methods

Method:	6010			Analyzed:	25-Jun-04 15:12
Units:	mg/kg dry			Sample Qualifier:	
<u>Analyte</u> Manganese, Solid		<u>Result</u> 110	Qualifier	Reporting Limit 0.52	Regulatory Level
Minickel, Solid		5.7		0.52	
Selenium, Solid		ND		1.0	
Silver, Solid		ND		0.52	
Strontium, Solid		4.6		0.52	
Thallium, Sclid		ND		1.3	
Vanadium, Solid		6.7		0.52	
Zinc, Solid		14		1.0	

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition #E3 ²644

Reported: 13-Aug-04 11:00

Page 38 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name:	HAVANA RIGHT OF WAY	Received By:	Lou Due
-------	---------------------	--------------	---------

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No

Trip ID:

Client Sample ID: X111 Lab Sample ID: C4F2458-01

Matrix: Soil- RCRA Date/Time Collected: 11-Jun-04 00:00

Sample Type

*** DEFAULT GENERAL METHOD ***

Method: **SM 2540**G Analyzed: 29-Jun-04 08:53

Units: %

Analyte Result Qualifier Reporting Limit Regulatory Level

Solids, % 86.7 0.1

Cyanide, Total and Amenable(Colorimetric, Automated UV) by RCRA 9012

Method: 9012 Analyzed: 16-Jun-04 13:31

Units: mg/kg dry Sample Qualifier

Analyte Result Qualifier Reporting Limit Regulatory Level

Cyanide, Soil 0.18

Mercury (RCRA) by EPA 7000 Series Methods

Method: **7471** Analyzed: 12-Aug-04 16:19

Units: mg/kg Sample Qualifier: A-01d

Analyte Result Qualifier Reporting Limit Regulatory Level

Mercury, Total SW846 0.59 J3, J4 0.10

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition #E37044

Sample Qualifier:

Reported: 13-Aug-04 11:00

Page 39 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name:

HAVANA RIGHT OF WAY

Received By:

Lou Due

Project/Facility Number:

1250205005

Date/Time Received:

15-Jun-04 09:11

Funding Code:

PR51

Visit No.:

Trip ID:

Client Sample ID:

X111

Lab Sample ID:

C4F2458-01

Matrix:

Soil- RCRA

6010

Date Time Collected:

Analyzed:

11-Jun-04 00:00

25-Jun-04 15:19

Sample Type:

Method:

RCRA Metals by EPA 6000/7000 Series Methods

Method:	0010			Anaryzeu.	25 3411 0 1 13.17
Units:	mg/kg dry			Sample Qualifier:	
<u>Analyte</u> Calcium, Solid		<u>Result</u> 31000	Qualifier	Reporting Limit 58	Regulatory Level
Magnesium. Solid		1400		58	
Sodium, Solid		37		58	
Potassium, Solid		1100	A-01b	230	
Aluminum, Solid	I	11000		12	
Antimony, Solid		11		0.69	
Arsenic, Solid		1100		1.2	
Barium, Solid		170		0.58	
Boron, Solid		120		5.8	
Beryllium, Solid		2.6		0.12	
Cadmium, Solid		2.7		0.58	
Chromium, Solid	ì	18		0.58	
Copper, Solid		78		0.58	
Cobalt, Solid		7.3		0.58	
Iron, Solid		48000		12	
Lead, Solid		130		0.58	

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.NELAP Compliant Accredition #E37644

Reported: 13-Aug-04 11:00

Page 40 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Received By:	Lou Due
	Received By:

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

ND

25

250

Trip ID.

Client Sample ID: X111 Lab Sample ID: C4F2458-01

Matrix: Soil- RCRA Date/Time Collected: 11-Jun-04 00:00

Sample Type:

Thallium, Solid

Vanadium, Solid

Zinc, Solid

RCRA Metals by EPA 6000/7000 Series Methods

Method:	6010			Analyzed:	25-Jun-04 15:19
Units:	mg/kg dry			Sample Qualifier:	
Analyte Manganese, Solid		<u>Result</u> 650	<u>Qualifier</u>	Reporting Limit 0.58	Regulatory Level
melickel, Solid		21		0.58	
Selenium, Solid		1.3		1.2	
Silver, Solid		ND		0.58	
Strontium, Solid		58		0.58	

1.4

0.58

1.2

Reported: 13-Aug-04 11:00

Page 41 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

HAVANA RIGHT OF WAY Lou Due Name: Received By:

1250205005 15-Jun-04 09:11 Project/Facility Number: Date/Time Received:

PR51 Visit No.: Funding Code:

Trip ID:

X111 TCLP C4F2458-02 Client Sample ID: Lab Sample ID:

TCLP Extraction Fluid-Date-Time Collected: 10-Jun-04 00:00 Matrix:

Sample Type

111

*** DEFAULT GENERAL METHOD ***

100E0 13-Jul-04 13:20 Method: Analyzed:

Units: Sample Qualifier:

Qualifier **Reporting Limit** Regulatory Level Analyte Result

vH, Initial 8.70

H, Final 4.90

Mercury (RCRA) by EPA 7000 Series Methods

7471 12-Aug-04 16:19 Method: Analyzed:

Units: mg/kg A-01d Sample Qualifier:

Qualifier Reporting Limit Analyte Result Regulatory Level

13, 14 Mercury, Total SW846 0.10 ND

TCLP Extraction by EPA 1311

28-Jun-04 18:34 1311 Method: Analyzed:

Units: mg/L Sample Qualifier:

Analyte Reporting Limit Regulatory Level Result Qualifier ND 0.006Antimony, TCLP Sold

0.010 Arsenic, TCLP Solid 0.33

> Champaign IEPA Laboratory The results in this report apply to the samples analyzed in accordance with the chain of

custody document. This analytical report must be reproduced in its entirety NELAP. Compliant Accredition #E37644

Reported: 13-Aug-04 11:00

Page 42 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name: HAVANA RIGHT OF WAY Received By: Lou Due

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

Trip ID:

Client Sample ID: X111 TCLP Lab Sample ID: C4F2458-02

Matrix: TCLP Extraction Fluid- Date/Time Collected: 10-Jun-04 00:00

Sample Type:

TCLP Extraction by EPA 1311

Method: 1311 Analyzed: 28-Jun-04 18:34

Units: mg/L Sample Qualifier:

Analyte Barium, TCLP Solid	<u>Result</u> 0.26	<u>Qualifier</u>	Reporting Limit 0.005	Regulatory Level
eryllium, TCLP Solid	ND		0.001	
Cadmium, TCLP Solid	0.004		0.005	
Chromium, "CLP Solid	ND		0.005	
Lead, TCLP Solid	0.040		0.005	
Nickel, TCLP Solid	0.008	A-01	0.005	
Selenium, TCLP Solid	ND		0.010	
Silver, TCLP Solid	ND		0.005	
Thallium, TCLP Solid	ND		0.012	
Vanadium, TCLP Solid	ND		0.005	
Zinc, TCLP Solid	0.47		0.010	

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.NELAP Compliant Accredition #E37644

Reported: 13-Aug-04 11:00

Page 43 of 44



2125 S. First Street Champaign, Illinois 61820 217.278.5858

LABORATORY RESULTS

Name:	HAVANA RIGHT OF WAY	Received By:	Lou Due
-------	---------------------	--------------	---------

Project/Facility Number: 1250205005 Date/Time Received: 15-Jun-04 09:11

Funding Code: PR51 Visit No.:

Trip 1D:

Notes and Definitions

Actual value not known, but known to be greater that value shown. To be used when the concentration of the analyte is above the acceptable level for quantitation. Value shown is the highest acceptable level for quantitation.

The sample matrix interfered with the ability to make any accurate determination (i.e. oily samples, high mineral content in SOCs,

high known interferent, etc.)

13 The reported value failed to meet the established quality control criteria for either precistion or accuracy

A-01d Sample run by method usepa 6020

A-01c Sample ran by USEPA 6020

A-01b CCV for ICP analysis failed high.

A-01a Accurate determination could not be made due to matrix interferences.

Results are not compliant with NELAC standards (to be used with case narrative)

Non-NELAP accredited analyte

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

Dry Sample results reported on a dry weight basis

Champaign IEPA Laboratory

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety NELAP Compliant Accredition #E37644

Reported: 13-Aug-04 11:00

Page 44 of 44

APPENDIX D SITE PHOTOGRAPHS

CERCLIS ID: Not Assigned

COUNTY: Mason

ΓE: June 8, 2004

TIME: 1135

PHOTO BY: M. Weber

PHOTO NUMBER: 1

DIRECTION: East

COMMENTS: Photograph of soil sample X101. X01 was collected from a Geoprobe® location on the north side of the property. Part of the former Prairieland Steel factory in the background.





DATE: June 8, 2004

TIME: 1240

PHOTO BY: M. Weber

PHOTO NUMBER: 2

DIRECTION: East

COMMENTS: Photograph of soil sample X102. X102 was collected from Geoprobe® location along the west side of the site. Profile Screen can be seen in the background.



CERCLIS ID: Not Assigned **COUNTY:** Mason

ΓE: June 8, 2004

TIME: 1510

PHOTO BY: M. Weber

PHOTO NUMBER: 3

DIRECTION: South

COMMENTS: Photograph of soil sample X103. X103 was collected from a Geoprobe® location on the southwest corner of the investigation area.



DATE: June 9, 2004

TIME: 1215

PHOTO BY: M. Weber

PHOTO NUMBER: 4

DIRECTION: North

COMMENTS: Photograph of soil sample X104. X104 was a shallow soil sample collected in the north central portion of the





CERCLIS ID: Not Assigned

COUNTY: Mason

ΓE: June 9, 2004

TIME: 1305

PHOTO BY: M. Weber

PHOTO NUMBER: 5

DIRECTION: South

COMMENTS: Photograph of duplicate soil samples X105 & X106. The samples were collected from shallow soil in an area identified with high lead contamination near the center of the site.



DATE: June 9, 2004

TIME: 1450

PHOTO BY: M. Weber

PHOTO NUMBER: 6

DIRECTION: North

COMMENTS: Photograph of soil sample X107. X107 was collected from a Geoprobe® boring location near. Some of the former Prairieland Steel facility can be seen in the kground.



CERCLIS ID: Not Assigned COUNTY: Mason

DATE: June 10, 2004

TIME: 1000

PHOTO BY: M. Weber

PHOTO NUMBER: 7

DIRECTION: West

COMMENTS: Photograph of soil sample X108. X108 was collected from a Geoprobe® boring location along the western side on the former rail bed.



DATE: June 10, 2004

TIME: 1030

PHOTO BY: M. Weber

PHOTO NUMBER: 8

DIRECTION: West

COMMENTS: Photograph of soil sample X109. X109 was collected from a Geoprobe® location near the southeast side of the site.



CERCLIS ID: Not Assigned

COUNTY: Mason

ΓE: June 10, 2004

TIME: 1050

PHOTO BY: M. Weber

PHOTO NUMBER: 9

DIRECTION: West

COMMENTS: Photograph of soil sample X110. X110 was collected from a Geoprobe® location on the southern portion of the site.



DATE: June 10, 2004

TIME: 1140

PHOTO BY: M. Weber

PHOTO NUMBER: 10

DIRECTION: South

COMMENTS: Photograph of soil sample X111. X111 was a collected from a Geoprobe® location near the former Prairieland Steel offices.

